

INSTRUCTION

26-2017



Ledona Eco

901434.002.1






IP 65 IK07



220 - 240 V / 50/60 Hz



3 x 1,0 mm²




901434.002.1	D 180, H 3	DA 160, HE 90, S 1-20 mm	LED	18,4 W	0,98 kg
Φ	EEK _{LED}	EEK	CRI	CCT	
1550 lm	A	A+	83	4000K	




instruction
Wartungsplan/
maintenance
schedule


DIN EN 61340-5-1



Die Leuchte darf nur mit ihren vollständigen Schutzabdeckungen betrieben werden.
The luminaire must be used with its complete protective covers only.



EN 12464



EN 12464








EN 12464

Wartungsplan/
Maintenance
schedule




RZB
Rudolf Zimmermann,
Bamberg GmbH
Rheinstraße 16
D-96052 Bamberg
Deutschland
Telefon +49 951/79 09-0
Telefax +49 951/79 09-198
www.rzb.de
info@rzb-leuchten.de






Leuchte ist nicht geeignet zur Abdeckung
mit Isoliermaterial!
Luminaire is not suitable for covering
with insulating material!

optional für Metall-, Holz- oder Gipskarton-Decken
optional for metal, timber or drywall ceilings



**Leuchte ohne Anschlußklemme.
Für den Anschluss können Hinweise
von Fachpersonen erforderlich sein!**



Instruction:



26-2017

